Paediatric and Perinatal Epidemiology 1993, **7**, 475–476

Paediatric and Perinatal Epidemiology

Author Index to Volume 7

Aitken D., 461
Aksoy S., 334
Alison L.H., 318
Allebeck P., 23
Amy J.-J., 234
Arntzen A., 376
Aydinlioglu H., 334

Baker R.L., 9
Bakiler A.R., 334
Bakketeig., 376
Bakoula C., 45
Balata A., 55
Beevers D.F., 245
Bentley B., 157
Berendes H.W., 9
Blair E., 272, 302
Bondestam M., 263
Bower C., 395
Buitendijk S.E., 223
Bulterys M., 387

Caglayan S., 334
Campbell M.K., 426
Carlin J.B., 67
Chambers H., 395
Chan A., 395
Clarke J., 167
Cnattingius S., 33
Coker A.L., 195
Coles E.C., 157
Corchia C., 55
Counsell A.M., 318
Crossley J., 461

Daling J.R., 253
Davidson L., 470
de Muylder X., 234

Dean J., 368
Dodge J.A., 157
Dragonas T., 217
Druschel C.M., 434

Eklund G., 23
Elwood J.M., 102
Erickson J.D., 404

Fabris C., 222
Farinasso D., 222
Farooqi S., 245
Fergusson D.M., 77, 97
Flander L.B., 67

Gaffin J., 7, 155, 232, 352
Garzena E., 222
Geddes D., 157
Geddis D.C., 318
Gensberg L.J., 434
Giles G.G., 67
Graves W.L., 205

Haan E., 395
Haglund B., 33
Hahn J.A., 450
Haites N., 368
Hall M., 368
Halliday H.L., 416
Hemminki E., 45
Hopper J.L., 67, 394
Houd S., 45

Jackson A.D., 157
Jacobson B., 23
Jenkins M.A., 67
Jones P., 343

Kansoy S., 334
Karagas M., 45
Kelly K., 368
Khoury M.J., 404
Klebanoff M.A., 9
Knowles S., 395
Knudsen L., 45
Koppe G., 354
Kurinczuk J.J., 167

Levasseur M., 45
Lewis P.A., 157
Li D.-K., 253
Licata D., 222
Little J., 121
Lomas J., 45
Lumey L.H., 354
Lynskey M.T., 77

Magnus P., 376
Malcontent, 5, 152, 230, 349
Marshall E.G., 434
Marteau T., 368
McDermott S., 195
McGinnity F.G., 417
McKeown R.E., 195
McLoone P., 461
Mednick B.R., 9
Melhuish E., 98
Miedzybrodzka Z., 368
Morgenstern H., 387
Morison S., 157
Mostert M., 222

Naeye R.L., 103
Nordström M.-L., 33
Norwood F., 395
Nyberg K., 23

Omran M., 461

Orzalesi., 55

Perry I.J., 245
Peters T.J., 99
Pineault R., 45
Pinto Martin J., 94
Pizacani B., 45
Pollock T.M., 101
Power C., 340

Rasmussen F., 263
Ravelli A.C.J., 354
Read A.W., 177
Rogers J.F., 205
Russell I., 368
Russell G., 157
Rutter M., 105

Sanna M.C., 55
Saunders D.M., 318
Schenker J., 45
Schulsinger C., 9
Secher N.J., 9
Seckin E., 334
Serra C., 55
Sever L.E., 469
Shaw G.M., 450
Stanley F., 177, 272, 302
Stein Z.A., 354
Stembera Z., 45
Stephenson P.A., 45
Stone D., 461
Sunderland R., 339

Teasdale T.W., 9
Templeton A., 368
Tiba J., 45
Treffers P.E., 354

Tuimala R., 45

Verbrugge H.P., 45
Verloove-Vanhorick S.P., 223

Wadsworth M.E.J., 220
Wagner M.G., 45
Wallace S., 341
Webster K.M., 426
Wiessing L.G., 354
Wilcox A.J., 347
Wildschut H.I.J., 93

Yaprak I., 334

Zupan J., 45

Paediatric and Perinatal Epidemiology 1993, **7**, 477–478

Paediatric and Perinatal Epidemiology

Subject Index to Volume 7

Abortion, induced, 121
Absenteeism, 263–271
Age
  maternal, 37, 77–91, 195–204, 208, 277, 395–403, 410, 435–450
  at first birth, 177–194
AIDS
  perinatal, 387–394
Alcohol
  maternal, 17, 60, 195–204, 410
Alpha-fetoprotein
  in cord blood, 55–66
Amniotic band syndrome, 395–403
Amphetamine addicts, 23–32
Anaemia
  maternal, 208–210
Anencephaly, 167–176, 461–8, 469–470
Anxiety, 121
Apgar, 60, 205–216
Asthma, 67–76

BCG immunity, 334–8
Behaviour, child, 77–91, 96–8, 220–1
Bias, 387–394
Bilirubin, 55–66
Birth trauma, 310–311
Birthweight, 195–204, 205–216, 354–367
  small-for-gestational-age very low, 417–425
  maternal, 17, 177–194
  paternal – availability, 9
Breast feeding, 1, 55–66
Broncho-pulmonary dysplasia, 417–425

Caesarean section, 45–54, 205–216, 234–244
Cardiovascular malformations, 434–449
Cerebral palsy, 272–301, 302–317
Chernobyl, 121–151
Clustering in space, 23–32
Cognition, 77–91
Confounding, 387–394
Congenital malformations, 102–3, 121–151, 167–176, 222–3, 278, 404–416, 434–449, 450–460
Criminality, 220
Cystic fibrosis, 157–166
  screening for, 368–375

Danish perinatal study, 9–22
Diethylstilboestriol, 223
Down's syndrome, 450–460
Drug addiction, 23–32
Dutch Famine Birth Cohort Study, 354–367

Eczema, 67–76
Education
  maternal, 17, 33–44, 77–91, 177–194, 195–204, 318–333, 376–386, 410, 434–449
  parental, 220, 376–386
  paternal, 185
Employment, maternal, 263–271
Epilepsy, 341–2

Family size, 84
Famine, 354–367
Fetal distress, 208–210
Fetal heart rate, 280
Food allergy, 67–76
Forceps, 45–54

Geographic variation
  in obstetric intervention, 45–54
Gestation, 361, 431, 432
Growth, 1

Hay fever, 67–76
Height, maternal, 17
  paternal 183–5
Hives, 67–76
HLA compatibility, 253
Hospital of birth, 23–32, 234–244
Household moves, 220
Housing, 17, 183–5, 263–271
Hydramnios, 278
Hydrocephalus, 404–416

Iatrogenic bias, 387–394
Infant mortality, 33–44, 347–8, 376–386
Inter-birth interval, 277
Inter-pregnancy interval, 167–176
Intraventricular haemorrhage, 417–425

IQ, 77–91, 195–204
IVF, 222–3

Jaundice, 55–66
Language, 220
Late fetal death *see* stillbirth
Lead, 220
Length of labour, 60
Limb defects, 395–403
Longitudinal studies, 105–120, 227–9, 340–1, 343–4

Maori, 318–333
Marital status, 17, 318–333
Mathematics, 83–91
Meconium, 61
Membrane rupture, 306–8
Mental retardation, 195–204
Miscarriage, prior, 167–176, 404–416
Morbidity, 263–271
Mortality
  infant, 33–44, 347–8, 376–386
  maternal, 234–244
  perinatal, 426

Necrotising enterocolitis, 417–425
Neonatal care, 426–434
Neonatal mortality, 33–44, 376–386, 426–434
Neural tube defects, 167–176, 461–8, 469–470

Obstetric care, 23–32, 45–54, 234–244, 425–433
Occular morbidity, 417–425
Opiate addicts, 23–32
Oxytocin, 45–54, 60

Parity, 37, 208, 277, 318–33, 395–403
Past obstetric history, 177–194, 253–262, 277, 404–416, 417–425
Placenta, 103–4, 278, 305–6, 308–9
Planned pregnancy, 94
Plunket National Child Health Study, 318–333
Post-neonatal mortality, 33–44, 375–385
Pre-eclampsia, 177–194, 205–216
Preterm, 9, 205–216, 223
Publications, 348

Race, 195–204, 205–216, 253–262, 318–333, 410, 434–449
Racial concordance, 253–262
Radiation, 121–151
Reading, 83–91
Response rate, 9–22
Retinopathy of prematurity, 417–425

Schizophrenia, 343–4
School absence, 263–271
Screening, 368–375, 450–460, 461–468
Second generation study, 9–22
Seizures, neonatal, 417–425
SIDS, 245–252, 253–262
Sleeping position, 245–252
Small-for-gestational-age, 9, 177–194
Smoking
  maternal, 17, 37, 60, 67–76, 177–194, 318–333, 410, 417–425
  paternal, 67–76, 177–194
Social class, 17
Sociology, 5
Spina bifida, 167–176, 461–8, 469–470
Statistical methods, 99–101
Stillbirth, 33–44, 376–386
  previous, 404–416
Strabismus, 417–425
Study design, 9–22, 105–120, 318–333, 354–367, 368–375
Survival in cystic fibrosis, 157–166

Termination, 450–460, 461–468
Time trends, 263–271, 347–8, 426–434, 450–460, 461–8
Twin, 278
Twin registry, 394

Unemployment, paternal, 220
Urinary tract infection, 183

Vaccination, 101–2
Visual acuity, 417–425

Weight gain, 354–367
Weight loss
  maternal, 183–185